

FACSIMILE TRANSMISSION

To: Technology Center 1700

U.S. Patent and Trademark Office

001-

Facsimile: 703-872-9310

From: Law Office of Jerome D. Jackson

211 North Union Street, Suite 100

Alexandria, Virginia 22314

Telephone: 703-684-4840

Facsimile: 703-684-4858

Date: 29 MAR 02

Number of pages

including this page: //

Re: Serial No. 09/601,442

GROUP TOO OF FICIAL

Respectfully Submitted,

erome D. Jackson Reg. No. 33,186

Certificate of Transmission

I hereby certify that this correspondence is being facsimile transmitted to the U.S. Patent and Trademark Office) on 29 MAR 02 (Fax No.703-972 93/0 (Date) Jerome D. Jackson

Signature

This favorimile transmission may contain confidential or privileged information and is intended only for the parties named above. If you should not have received this transmission, please call 703-684-4840 collect and please return the transmission to Law Office of Jerome D. Jackson: 211 North Union Street, Suite 100; Alexandria, Virginia 22314.



P.3 9/C

45-1W

44-02

Certificate of Transmission

I hereby certify that this correspondence is being facsimile transmitted to the U.S. Patent and Trademark Office (Fax No.703-872 93/0) on 29 MAR OZ (Date)

Signature

PATENT ATTORNEY DOCKET No. 136.004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re U.S. National Phase of International Application of:) Art Unit: 1724)
John James TODD and Adrian Hopwood)
Filed under 35 U.S.C. 371: August 2, 2000 Serial No.: 09/601,442	
International Filing Date: February 2, 1999 International Application No.: PCT/GB99/00346)
For: WASTE WATER TREATMENT, MEDIA THEREFOR AND ITS MANUFACTURE)))

CROUP TOO OFFICIAL

Honorable Commissioner of Patents and Trademarks Washington, D.C. 20231

Sir:

AMENDMENT AND REQUEST FOR THREE MONTH EXTENSION OF TIME

This is a response to the Office Action mailed October 3, 2001, the period for response to which is extended to April 3, 2002 by a request for a three month extension of time made herewith and a payment of \$460.00 authorized on the enclosed for PTO-2038. Please amend the